

# TECHNICAL SPECIFICATIONS

# RF 16mm F2.8 STM

<b>OPTICAL FEATURES/SPECIFICATIONS</b>	
35mm film equivalent focal length (mm)	16mm
Angle of view (horzntl, vertl, diagnol)	98°, 74°10', 108°10'
Lens construction (elements/groups)	9/7
No. of diaphragm blades	7
Minimum aperture	22
Closest focusing distance (m)	0.13
Maximum magnification (x)	0.26
Distance Information	Yes
AF actuator	STM
<b>PHYSICAL SPECIFICATIONS</b>	
Filter diameter (mm) <sup>1</sup>	43
Max. diameter x length (mm) <sup>2</sup>	69.2 x 40.1
Weight (g)	165
<b>ACCESSORIES</b>	
Lens Cap <sup>3</sup>	EF-43
Lens hood <sup>4</sup>	EW-65C
Lens case/pouch <sup>4</sup>	LP1014
Rear End Cap	Lens Dust Cap RF
Magnification with Extension Tube EF12 II	Not Compatible
Magnification with Extension Tube EF25 II	Not Compatible
Extender compatibility	Not Compatible

## Footnotes

<sup>1</sup> Only 1 filter should be used at any given time. The Canon close-up lenses 250D / 500D and the Canon circular polarizing filter PL-C B are not compatible.

<sup>2</sup> Lens dimensions when in retracted state

<sup>3</sup> Center pinch type, bundled with lens

<sup>4</sup> Not bundled, available as optional accessory separately

In order to use this lens on the EOS R, EOS Ra, or EOS RP, a compatible version of firmware is required. Download the latest camera firmware from the Canon support website and install it on your camera.

For best results it is recommended using Canon camera applications

(Digital Photo Professional) to process RAW images shot with this lens.

When using a PC please download the latest Digital Photo Professional and Picture Style Editor from the Canon website.



Live for the story\_

Canon Inc.  
canon.com  
Canon Europe  
canon-europe.com  
English edition  
Canon Europa NV 2021